

1/10




FIG. 1

2/10




FIG. 2

3/10




FIG. 3A

4/10




FIG. 3B




FIG. 4

600

AGENT ID	THREAD PRESENCE	START TIME	END TIME	STATUS	SEVERITY	RESOLUTION
010	0					
008	1					
006	0					
003	0					
001	0					

602 604 606 608 612 614 616

FIG. 5A

622

623

AGENT ID	
THREAD ID	CPU CYCLES USED
005	1,000
006	200,000
007	15,000
008	1,000,000

624 628

FIG. 5C

622

621

AGENT ID	
THREAD ID	PEAK USAGE
001	1.2
002	2.5
003	6.0
004	10.1

624 626

FIG. 5B




FIG. 6A

700B

New DDM Probe

Cancel

Previous

Next

Disable this probe

Target

Which server(s) should run this probe?
Fisheye/Lily

Which process should be probed?
☒ Agent Manager
☐ HTTP

FIG. 6B

700F

New DDM Probe

Cancel

Previous

Next

Disable this probe

Type

Name: Memory Usage

Type: Agents

SubType: Agents ranked by Memory usage

Custom: ☐ Use default values
☒ Use values I provide

FIG. 6C

700G

New DDM Probe

716

Cancel

Previous

Next

Disable this probe

724

Specifics

If Memory Utilization is greater than:	Generate an event of severity:
<div>Very High</div>	Fatal
<div>High</div>	Failure
<div>Do Not Report</div>	Warning (High)
<div>Do Not Report</div>	Warning (Low)
<div>Do Not Report</div>	Normal

FIG. 6D